

	Ref #	Type	Hits	Search Text	DBs
1	S44	BRS	1	(polymer with (iron metal ferrous) with core) and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	S23	BRS	4157	polymer with (iron metal ferrous) with core	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	S43	IS&R	840	(335/281).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	S41	BRS	10934	S29 same S30 same S31 same S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	S42	BRS	19	S41 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	S32	BRS	26808	S29 same S30 same S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	S37	BRS	47	S36 and brake	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	S39	BRS	9036810	inch inches in	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	S40	BRS	643	S36 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
10	S28	BRS	17	S24 with brake	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	S38	BRS	2	S35 and brake	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	S35	BRS	57	S32 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	S36	BRS	660	S32 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	S33	BRS	16232	core same (former bobbin) same (coil winding)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	S34	BRS	211615	core same (coil winding)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	S30	BRS	4810574	thick\$4 wide width	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	S31	BRS	2965123	rim edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	S29	BRS	1754145	housing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
19	S11	BRS	41349	S10 with brake	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	S27	BRS	5	S23 with brake	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	S24	BRS	49226	polymer with core	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	S25	BRS	3	S23 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	S26	BRS	13	S24 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	S19	BRS	59356	(iron metal ferrous) adj core	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	S5	BRS	2366722	polymer impregnated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	S20	BRS	914	S19 with S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	S21	BRS	7261	polymer near2 impregnated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
28	S22	BRS	4	S19 with S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	S6	BRS	913	S1 with S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	S1	BRS	58959	(iron metal) adj core	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	S16	BRS	49	S15 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	S18	BRS	55	S17 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	S3	BRS	233395	elasticity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	S12	BRS	4	S6 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	S15	BRS	28012	yield near2 strength	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	S17	BRS	41273	elasticity near2 modulus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
37	S13	BRS	88	core same S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	S8	BRS	3	S6 same S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	S14	BRS	5	S13 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	S10	BRS	955637	electromagnet actuator solenoid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	S9	BRS	7	S6 same S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	S7	BRS	2888	S3 with S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	S2	BRS	2193741	polymer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	S4	BRS	33718	Young's adj modulus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB